

4 SEASONS

P70evo

multi tool

MECHANICAL GEARBOX
belt transmission



RUNNING SPEED

2.1 Km/h
1.1 Km/h

3.5 Km/h
2.5 Km/h
1.1 Km/h

2.1 Km/h
1.1 Km/h

SEMI-PROFESSIONAL



P70evo

ENGINE	B&S 850 E series	B&S 850 IS series	B&S 1000 Pxi	Euro 224.ohv	Euro R200.ohv
	190 cc 3.7 kW Petrol	190 cc 3.7 kW Petrol	223 cc 4.2 kW Petrol	224 cc 4.4 kW Petrol	200 cc 3.6 kW Petrol
STARTER	recoil	electric	recoil	recoil	recoil
HANDLEBAR	reversible, laterally and vertically adjustable				
TRANSMISSION	gears and endless screw in oil bath and belts				
GEARS	machine configuration with front tool: 3 speed forward, 2 speed reverse machine configuration with rear tool: 2 speed forward, reverse				
PTO	vertical with belt				
SLOPE ENGINE	 optional kit consisting of ballast and motor coupling system to work laterally on steep terrain (up to 45°)				
STEERING SYSTEM	reversible				
DRIVE WHEELS	tyres, tractor profile with mechanical semi-differential (15x6.00-6")				
NET WEIGHT	55 kg	58 kg	56 kg	58 kg	59 kg
DIMENSIONS	57x135x110(h)				

	GR. WEIGHT	61-65 KG
	PACKAGING	88X56X61(H) CM
	PALLET	90X120X195(H) CM / Q* 6PCS



HANDLEBAR
laterally and
vertically adjustable



LEVERAGES
traction + tool coupling
with integrated safety
system



HANDLEBAR
reversible with new quick
adjustment system



SLOPE ENGINE
kit with ballast for
lateral use on steep
terrain with a maximum
slope of 45°



DRIVEN WHEELS
tractor profile
with mechanical
semi-differential



The slope engine KIT allows, through the
use of a ballast, an additional 25° rotation
to the motor (45° total) which means it can
be used efficiently on steep terrain

Patented system
Ballast 11 KG



AS STANDARD



OPTIONAL



PATENTED

4 SEASONS

P70evo

multi tool

BRUSH CUTTER

OPERATION

self-winding head with 4 outputs
wire Ø3 mm, 2 and/or 4 cutting
height, capacity: 2 x 7.5m rolls

WORK WIDTH

60 cm

ADJUSTMENTS

- plate inclination 0-6°
- lateral to fixed positions:
0° - 15° - 30° - 45°

TRANSPORT WHEELS

-

OTHER

- handlebar control for wire
extension
- protective barriers
- **NEW!** head for cutting
height at 4 and/or 6 cm

NET WEIGHT

20 kg

DIMENSION

86x62x39(h) cm



G.WEIGHT 23 KG

PACKAGING 73X71X42.5(H) CM - PALLET 80X120X225(H) CM / Q* 5PCS



GRASSLAND MOWER

OPERATION

6 pivoting blades on a
vertical cross rotor

WORK WIDTH

63 cm

ADJUSTMENTS

cutting height
5 - 8 cm
with fixed positions

TRANSPORT WHEELS

-

OTHER

-

NET WEIGHT

27 kg

DIMENSION

68x92x48(h) cm



G.WEIGHT 31 KG - PACKAGING 92X69.5X42(H) CM - PALLET 92X70X210(H) CM / Q* 5PCS



CUTTING BAR

OPERATION	double blade movement, two oscillating blades
WORK WIDTH	107 cm
ADJUSTMENTS	cutting height 2<->5.5 cm with skids
TRANSPORT WHEELS	-
OTHER	- grass spreader hood - adjustable skids
NET WEIGHT	23 kg
DIMENSION	111x68x30(h) cm

 **G.WEIGHT** 26 KG - **PACKAGING** 112X38X32(H) CM **PALLET** 110X120X232(H) CM - **Q*** 18PCS



**DOUBLE BLADE
WITH ADJUSTABLE
SKIDS**



ROTAVATOR

OPERATION	16 curved bolted knives
WORK WIDTH	55 cm Ø32 cm
ADJUSTMENTS	work depth 0<->12.5 cm
TRANSPORT WHEELS	-
OTHER	adjustable spur
NET WEIGHT	24 kg
DIMENSION	55x78x58(h) cm

 **G.WEIGHT** 27 KG - **PACKAGING** 67X58X42(H) CM **PALLET** 134X114X180(H) CM - **Q*** 16PCS



**TILLER WITH
16 KNIVES**



ROTARY SCYTHE

OPERATION	4 retractable pivoting blades
WORK WIDTH	64 cm
ADJUSTMENTS	fixed cutting height at 3.6 cm
TRANSPORT WHEELS	-
OTHER	rake kit (accessory)
NET WEIGHT	27 kg
DIMENSION	67x78x49(h) cm

 **G.WEIGHT** 29 KG - **PACKAGING** 70X60X37(H) CM **PALLET** 80X120X197(H) CM - **Q*** 10PCS



**RAKE KIT
(not included)**



4 SEASONS

P70evo

multi tool

TRANSPORT TANK

OPERATION tilting sheet metal tank
load-bearing capacity: 85 lt. - 75 kg

WORK WIDTH -

ADJUSTMENTS -

TRANSPORT WHEELS tyres 20x7.5 cm

OTHER 140-litre tank extension with
quick coupling system
(optional)

NET WEIGHT 23.5 kg

DIMENSION 71x108x86(h) cm

 **G.WEIGHT** 26 KG - **PACKAGING** 88x56x61(H) CM - **PALLET** 90x120x195(H) CM / Q* 6PCS



140L TANK
EXTENSION



TILTING TANK

FLAT TANK

OPERATION flat platform in sheet metal
with tilting plastic tank
load-bearing capacity: 160 l - 75 kg

WORK WIDTH -

ADJUSTMENTS -

TRANSPORT WHEELS tyres 20x7.5 cm

OTHER -

NET WEIGHT 35 kg

DIMENSION 88x155x87(h) cm

 **G.WEIGHT** 38 KG - **PACKAGING** 111x66x71(H) CM - **PALLET** 114x134x225(H) CM / Q* 6PCS



FLAT PLATFORM

HAY RAKE

OPERATION	7-comb belt with double tine
WORK WIDTH	100 cm
ADJUSTMENTS	work height via front wheels
TRANSPORT WHEELS	rubber
OTHER	- side hay rack - steering wheels
NET WEIGHT	90 kg
DIMENSION	152x218x130(h) cm




HAY HOLDER



G.WEIGHT 113.5 KG - **PACKAGING** 145X80X102(H) CM
- **PALLET** 152X81X204(H) CM - **Q*** 2PCS

DETHATCHER

OPERATION	96 springs on rotor Ø25 cm
WORK WIDTH	60 cm
ADJUSTMENTS	-
TRANSPORT WHEELS	in rubber 20x5 cm
OTHER	-
NET WEIGHT	26 kg
DIMENSION	71x96x39(h) cm



SPRINGS ROTOR



G.WEIGHT 28.5 KG - **PACKAGING** 80X59X57(H) CM
- **PALLET** 80X120X240(H) CM - **Q*** 8PCS

RIDGING PLOW

OPERATION	rear quick coupler
WORK WIDTH	29 cm
ADJUSTMENTS	-
TRANSPORT WHEELS	-
OTHER	-
NET WEIGHT	3 kg
DIMENSION	29x35x48(h) cm



G.WEIGHT 3.7 KG - **PACKAGING** 30X30X20(H) CM
- **PALLET** 90X120X100(H) CM - **Q*** 40PCS

4 SEASONS


P70evo

multi tool

SNOW THROWER

OPERATION	turbine with ice breaking propellers double-stage
WORK WIDTH	52 cm
ADJUSTMENTS	- height 2 – 3 cm 90° deflector 180° ejection flue
TRANSPORT WHEELS	–
OTHER	- flue control rod - flue cleaner pipe
NET WEIGHT	44 kg
DIMENSION	61.5x189x93(h) cm

 G.WEIGHT 50 KG – PACKAGING 88X56X61(H) CM – PALLET 90X120X195(H) CM / Q* 6PCS



SNOW BLADE

OPERATION	adjustable blade with front attachment
WORK WIDTH	85 or 100 cm
ADJUSTMENTS	- height 0–2 cm - lateral orientation $\pm 30^\circ$
TRANSPORT WHEELS	–
OTHER	rubber shock-proof strip
NET WEIGHT	20 –32 kg
DIMENSION	85x126x109 (h) cm 100x126x109(h) cm

 G.WEIGHT 22 KG – PACKAGING 90X29X45(H) CM – PALLET 90X120X192(H) CM / Q* 16PCS
 G.WEIGHT 34 KG – PACKAGING 101X29X46(H) CM – PALLET 90X120X196(H) CM / Q* 12PCS



VACUUM - BLOWER

OPERATION	suction fan + blower pipe
WORK WIDTH	78 cm
ADJUSTMENTS	height 2<-> 6.4 cm
TRANSPORT WHEELS	rubber pivoting
OTHER	185 l removable bag - blower Ø10x250 cm
NET WEIGHT	46.5 kg
DIMENSION	86x149x152(h) cm



BLOWER PIPE



G.WEIGHT 52 KG - PACKAGING 120X80X95(H) CM
-PALLET 80X120X190(H) CM -Q* 2PCS

BRUSH

OPERATION	polypropylene brush Ø30 cm
WORK WIDTH	88 cm
ADJUSTMENTS	lateral ±30°
TRANSPORT WHEELS	rubber pivoting
OTHER	removable holders (x2)
NET WEIGHT	44 kg
DIMENSION	79x183x78(h) cm



**HOLDER
(x2)**



G.WEIGHT 50 KG - PACKAGING 107X89X52(H) CM
-PALLET 90X120X220(H) CM -Q* 4PCS

ECO SPRAYER

OPERATION	12V 4.1 bar pump batteries (x2) 12V 5A/h
TANK	50 litres
COMPATIBLE LIQUIDS	water, cryoform, fertilisers, pesticides
TRANSPORT WHEELS	tyres 20x7.5 cm
OTHER	- handwashing tank - lance - hose 9 m
NET WEIGHT	41 kg
DIMENSION	71x149x111(h) cm



SPRAYER LANCE



G.WEIGHT 43 KG - PACKAGING 114X134X71(H) CM
-PALLET 114X134X230(H) CM -Q* 6PCS