

4 SEASONS

P70evo

multi tool

MECHANICAL GEARBOX
belt transmission



RUNNING SPEED

2.1 Km/h 1.1 Km/h			3.5 Km/h 2.5 Km/h 1.1 Km/h
2.1 Km/h 1.1 Km/h			1.1 Km/h

SEMI-PROFESSIONAL



P70evo

ENGINE	B&S 850 E series 190 cc 3.7 kW Petrol	B&S 850 IS series 190 cc 3.7 kW Petrol	B&S 1000 Pxi 223 cc 4.2 kW Petrol	Euro 224.ohv 224 cc 4.4 kW Petrol	Euro R200.ohv 200 cc 3.5 kW Petrol
STARTER	recoil	electric	recoil	recoil	recoil
HANDLEBAR	reversible, laterally and vertically adjustable				
TRANSMISSION	gears and endless screw in oil bath and belts				
GEARS	machine configuration with front tool: 3-Speed Forward, 2-Speed Reverse machine configuration with rear tool: 2 forward gears, reverse gear				
PTO	vertical with belt				
SLOPE ENGINE	 optional kit consisting of ballast and motor coupling system to work laterally on steep terrain (up to 45°)				
STEERING SYSTEM	reversible				
DRIVE WHEELS	tyres, tractor profile with mechanical semi-differential (15x6.00-6")				
NET WEIGHT	58 kg	60 kg	58 kg	59 kg	59 kg
DIMENSIONS	57x135x110(h)				

	GR. WEIGHT	61-63 KG
	PACKAGING	88X56X61(H) CM
	PALLET	90X120X195(H) CM / Q* 6PCS



HANDLEBAR
laterally and
vertically adjustable



LEVERAGES
traction + tool coupling
with integrated safety
system



SLOPE ENGINE
kit with ballast for
lateral use on steep
terrain with a maximum
slope of 45°



HANDLEBAR
reversible with new quick
adjustment system



DRIVEN WHEELS
tractor profile with
mechanical semi-
differential



ELECTRICAL START
with battery, *on mod.
BS850 IS

 **AS STANDARD**

 **ACCESSORY**

 **PATENTED**

4 SEASONS

P70evo

multi tool

NEW

BRUSH CUTTER

OPERATION

self-winding head
wire Ø3 mm with 4 outputs
(20-40mm)
capacity: 2 x 7.5m rolls

WORK WIDTH

60 cm

ADJUSTMENTS

- plate inclination 0-6°
- lateral to fixed positions:
0° - 15° - 30° - 45°

TRANSPORT WHEELS

-

OTHER

- handlebar control for wire
extension
- protective walls

NET WEIGHT


23 kg

DIMENSION

86x62x39(h) cm



G.WEIGHT 25 KG - PACKAGING 73X71X42.5(H) CM - PALLET 80X120X225(H) CM / Q* 5PCS



WIRE HEAD WITH
4 OUTPUTS



IDLE ROTATION
HEAD



LATERAL
ADJUSTMENT



WIRE EXTENSION
COMMAND



PLATE
ORIENTATION

4 SEASONS

P70evo


multi tool

WHEELS – EXTENSIONS



IRON EXTENSION FOR TYRES

Single track
77 cm



SNOW CHAINS

For wheels
15x6.00 - 6"

SLOPE ENGINE KIT



The slope engine KIT allows, through the use of a ballast, the addition of a 25° rotation to the motor which means it can be used efficiently on steep terrain.

Patented system with automatic belt tensioner
Ballast 11 KG

GRASSLAND MOWER

OPERATION

6 pivoting blades on a
vertical cross rotor

WORK WIDTH

63 cm

ADJUSTMENTS

cutting height
5 - 8 cm
with fixed positions

TRANSPORT WHEELS

-

OTHER

-

NET WEIGHT

25 kg

DIMENSION

68x92x48(h) cm



**6 PIVOTING
KNIVES**



G.WEIGHT 30 KG - PACKAGING 92X69.5X42(H) CM - PALLET 92X70X210(H) CM / Q* 5PCS

CUTTING BAR

OPERATION	double blade movement, two oscillating blades (lower and upper)
WORK WIDTH	107 cm
ADJUSTMENTS	cutting height 2<->5.5 cm with skids
TRANSPORT WHEELS	-
OTHER	- grass spreader hood - adjustable skids

NET WEIGHT	23 kg
DIMENSION	111x68x30(h) cm




**DOUBLE BLADE
WITH ADJUSTABLE
SKIDS**



G.WEIGHT 26 KG - PACKAGING 112X38X32(H) CM
PALLET 110X120X232(H) CM -Q* 18PCS

ROTAVATOR

OPERATION	16 curved riveted knives rotor
WORK WIDTH	55 cm Ø32 cm
ADJUSTMENTS	work depth 0<->12.5 cm
TRANSPORT WHEELS	-
OTHER	adjustable spur
NET WEIGHT	24 kg
DIMENSION	55x78x58(h) cm



**TILLER WITH
16 KNIVES**



G.WEIGHT 27 KG - PACKAGING 67X58X42(H) CM
PALLET 134X114X180(H) CM -Q* 16PCS

ROTARY SCYTHE

OPERATION	4 retractable pivoting blades
WORK WIDTH	64 cm
ADJUSTMENTS	fixed cutting height at 3.6 cm
TRANSPORT WHEELS	-
OTHER	rake kit (optional accessory)
NET WEIGHT	27 kg
DIMENSION	67x78x49(h) cm



**RAKE KIT
(not included)**



G.WEIGHT 29 KG - PACKAGING 70X60X37(H) CM
PALLET 80X120X197(H) CM -Q* 10PCS

4 SEASONS

P70evo

multi tool

TRANSPORT TANK

OPERATION tilting sheet metal tank
load-bearing capacity: 85 l – 75 kg

WORK WIDTH –

ADJUSTMENTS –

TRANSPORT WHEELS tyres 20x7.5 cm

OTHER 140-litre tank extension with
quick coupling system
(optional accessory)

NET WEIGHT 23.5 kg

DIMENSION 71x108x86(h) cm

 **G.WEIGHT** 26 KG – **PACKAGING** 88x56x61(H) CM – **PALLET** 90x120x195(H) CM / Q* 6PCS



**140L TANK
EXTENSION**



TILTING TANK

FLAT TANK

OPERATION flat platform in sheet metal
with tilting plastic tank
load-bearing capacity: 160 l – 75 kg

WORK WIDTH –

ADJUSTMENTS –

TRANSPORT WHEELS tyres 20x7.5 cm

OTHER –

NET WEIGHT 35 kg

DIMENSION 88x155x87(h) cm

 **G.WEIGHT** 38 KG – **PACKAGING** 111x66x71(H) CM – **PALLET** 114x134x225(H) CM / Q* 6PCS



FLAT PLATFORM



HAY RAKE

OPERATION	7-comb belt with double tine
WORK WIDTH	100 cm
ADJUSTMENTS	work height via front wheels
TRANSPORT WHEELS	rubber
OTHER	hay holder strap adjustable
NET WEIGHT	90 kg
DIMENSION	152x218x130(h) cm




HAY HOLDER




G.WEIGHT 113.5 KG - **PACKAGING** 145X80X102(H) CM
- **PALLET** 152X81X204(H) CM - **Q*** 2PCS

DETHATCHER

OPERATION	96 springs on rotor Ø25 cm
WORK WIDTH	60 cm
ADJUSTMENTS	-
TRANSPORT WHEELS	in rubber 20x5 cm
OTHER	-
NET WEIGHT	26 kg
DIMENSION	71x96x39(h) cm



SPRINGS ROTOR



G.WEIGHT 28.5 KG - **PACKAGING** 80X59X57(H) CM
- **PALLET** 80X120X240(H) CM - **Q*** 8PCS

RIDGING PLOW

OPERATION	rear quick coupler
WORK WIDTH	29 cm
ADJUSTMENTS	-
TRANSPORT WHEELS	-
OTHER	-
NET WEIGHT	3 kg
DIMENSION	29x35x48(h) cm



G.WEIGHT 3.7 KG - **PACKAGING** 30X30X20(H) CM
- **PALLET** 90X120X100(H) CM - **Q*** 40PCS

4 SEASONS

P70evo

multi tool

SNOW THROWER

OPERATION turbine with ice breaking propellers double-stage

WORK WIDTH 52 cm

ADJUSTMENTS

- height 2 - 3 cm
- 90° deflector
- 180° ejection flue

TRANSPORT WHEELS -

OTHER

- flue control rod
- flue cleaner pipe

NET WEIGHT 44 kg

DIMENSION 61.5x189x93(h) cm

 **G.WEIGHT** 50 KG - **PACKAGING** 88X56X61(H) CM - **PALLET** 90X120X195(H) CM / Q* 6PCS



SNOW BLADE

OPERATION adjustable blade with front attachment

WORK WIDTH 85 or 100 cm

ADJUSTMENTS

- height 0-2 cm
- lateral orientation $\pm 30^\circ$

TRANSPORT WHEELS -

OTHER rubber shock-proof strip

NET WEIGHT 20 -32 kg

DIMENSION

- 85x126x109 (h) cm
- 100x126x109(h) cm

 **G.WEIGHT** 22 KG - **PACKAGING** 90X29X45(H) CM - **PALLET** 90X120X192(H) CM / Q* 16PCS

 **G.WEIGHT** 34 KG - **PACKAGING** 101X29X46(H) CM - **PALLET** 90X120X196(H) CM / Q* 12PCS



VACUUM/ BLOWER

OPERATION	suction fan + blower pipe
WORK WIDTH	78 cm
ADJUSTMENTS	height 2<-> 6.4 cm
TRANSPORT WHEELS	rubber pivoting
OTHER	- 185 l removable bag - blower Ø10x250 cm
NET WEIGHT	46.5 kg
DIMENSION	86x149x152(h) cm



BLOWER PIPE



G.WEIGHT 52 KG – PACKAGING 120X80X95(H) CM

-PALLET 80X120X190(H) CM –Q* 2PCS

BRUSH

OPERATION	polypropylene brush Ø30 cm
WORK WIDTH	88 cm
ADJUSTMENTS	lateral ±25°
TRANSPORT WHEELS	rubber pivoting
OTHER	removable holders (x2)
NET WEIGHT	44 kg
DIMENSION	79x183x78(h) cm



**HOLDER
(x2)**




G.WEIGHT 50 KG – PACKAGING 107X89X52(H) CM

-PALLET 90X120X220(H) CM –Q* 4PCS

ECO SPRAYER

OPERATION	12V 4.1 bar pump batteries (x2) 12V 5A/h
TANK	50 l
COMPATIBLE LIQUIDS	water, cryoform, fertilisers, pesticides
TRANSPORT WHEELS	tyres 20x7.5 cm
OTHER	- handwashing tank - lance - hose 9 m
NET WEIGHT	41 kg
DIMENSION	71x149x111(h) cm



SPRAYER LANCE



G.WEIGHT 43 KG – PACKAGING 114X134X71(H) CM

-PALLET 114X134X230(H) CM –Q* 6PCS